


## Ventile de gaz "NOVA"


Ventile combinate cu control de flacara termoelectric (termoelement) sau prin ionizare, cu modulare in doua trepte, in trei trepte sau continua pentru arzatoare atmosferice sau amestec.




820 NOVA




820 NOVA mV




822 NOVA




824-825 NOVA



826-827 NOVA



822 NOVAMIX



828 NOVAMIX

Modele:	Control flacara		Control arzator			
	Termoelectric	Ionizare	Doua trepte	Trei trepte	Continuu	Amestec gaz/aer
820 NOVA	■		■			
822 NOVA		■	■			
824 NOVA	■			■		
825 NOVA	■				■	
826 NOVA		■		■		
827 NOVA		■			■	
822 NOVAMIX		■				■
828 NOVAMIX		■				■
<b>Cod</b>						
<b>0820010</b>	<b>Racord gaz</b>		<b>1/2" - 1/2"</b>			
	<b>Tensiune retea</b>		<b>230V 50Hz</b>			
	<b>Domeniu de reglare</b>		<b>3-30 mbar</b>			
	<b>Racord termoelement</b>		<b>M9x1mm</b>			

	Debit gaz	6,5m <sup>3</sup> /h (▲P=5 mbar)
<b>Cod</b>		
<b>0820016</b>	Racord gaz	1/2" - 1/2"
	Tensiune retea	24V 50Hz
	Domeniu de reglare	3-30 mbar
	Racord termoelement	M9x1mm
	Debit gaz	6,5m <sup>3</sup> /h (▲P=5 mbar)
<b>Cod</b>		
<b>0820303</b>	Racord gaz	1/2" - 1/2"
	Tensiune retea	fara
	Domeniu de reglare	3-30 mbar
	Racord termoelement	M9x1mm
	Debit gaz	6,5m <sup>3</sup> /h (▲P=5 mbar)
<b>Cod</b>		
<b>0822113</b>	Racord gaz	1/2" - 1/2"
	Tensiune retea	230V 50Hz
	Domeniu de reglare	3-30 mbar
	Racord termoelement	are
	Debit gaz	6,5m <sup>3</sup> /h (▲P=5 mbar)
<b>Cod</b>		
<b>0824010</b>	Racord gaz	1/2" - 1/2"
	Tensiune retea	230V 50Hz
	Bobina modulatie	230 V
	Domeniu de reglaj	2-50mbar
	Racord flacara veghe	are
	Racord termoelement	M9x1mm
	Debit gaz	6,5m <sup>3</sup> /h (▲P=5 mbar)
<b>Cod</b>		
<b>0825011</b>	Racord gaz	1/2" - 1/2"
	Tensiune retea	230V 50Hz
	Bobina modulatie	28 V DC, 165 mA
	Domeniu de reglaj	3-37mbar
	Racord flacara veghe	are
	Racord termoelement	M9x1mm
	Debit gaz	6,5m <sup>3</sup> /h (▲P=5 mbar)
<b>Cod</b>		
<b>0826011</b>	Racord gaz	1/2" - 1/2"

	<b>Tensiune retea</b>	<b>230V 50Hz</b>
	<b>Bobina modulatie</b>	<b>230 V</b>
	<b>Domeniu de reglaj</b>	<b>2-50mbar</b>
	<b>Racord flacara veghe</b>	<b>are</b>
	<b>Debit gaz</b>	<b>6,5m<sup>3</sup>/h (▲P=5 mbar)</b>
<b>Cod</b>		
	<b>Racord gaz</b>	<b>1/2" - 1/2"</b>
	<b>Tensiune retea</b>	<b>230V 50Hz</b>
<b>0827110</b>	<b>Bobina modulatie</b>	<b>28 V DC, 165 mA</b>
	<b>Domeniu de reglaj</b>	<b>2-20mbar</b>
	<b>Racord flacara veghe</b>	<b>are</b>
	<b>Debit gaz</b>	<b>6,5m<sup>3</sup>/h (▲P=5 mbar)</b>